

SAIL DSP MKTG COAL CHEMICAL FA 0021000041

Auction Id	Auction Description	Status
9212	A-1-Crude Coal Tar QTY 50MT	Approved
9213	A-2-Crude Coal Tar QTY 50MT	Approved
9214	A-3-Crude Coal Tar QTY 50MT	Approved
9215	A-4-Crude Coal Tar QTY 50MT	Approved
9216	A-5-Crude Coal Tar QTY 50MT	Approved
9217	A-6-Crude Coal Tar QTY 50MT	Approved
9218	A-7-Crude Coal Tar QTY 50MT	Approved
9219	A-8-Crude Coal Tar QTY 50MT	Approved
9220	A-9-Crude Coal Tar QTY 50MT	Approved
9221	A-10-Crude Coal Tar QTY 50MT	Approved
9222	B-1-Crude Coal Tar QTY 50MT	Approved
9223	B-2-Crude Coal Tar QTY 50MT	Approved
9224	B-3-Crude Coal Tar QTY 50MT	Approved
9225	B-4-Crude Coal Tar QTY 50MT	Approved
9226	B-5-Crude Coal Tar QTY 50MT	Approved
9227	B-6-Crude Coal Tar QTY 50MT	Approved
9228	B-7-Crude Coal Tar QTY 50MT	Approved
9229	B-8-Crude Coal Tar QTY 50MT	Approved
9230	B-9-Crude Coal Tar QTY 50MT	Approved
9231	B-10-Crude Coal Tar QTY 50MT	Approved
9232	C-1-Crude Coal Tar QTY 50MT	Approved
9233	C-2-Crude Coal Tar QTY 50MT	Approved
9234	C-3-Crude Coal Tar QTY 50MT	Approved
9235	C-4-Crude Coal Tar QTY 50MT	Approved
9236	C-5-Crude Coal Tar QTY 50MT	Approved
9237	C-6-Crude Coal Tar QTY 50MT	Approved
9238	C-7-Crude Coal Tar QTY 50MT	Approved
9239	C-8-Crude Coal Tar QTY 50MT	Approved
9240	C-9-Crude Coal Tar QTY 50MT	Approved
9241	C-10-Crude Coal Tar QTY 50MT	Approved
9242	D-1-Crude Coal Tar QTY 50MT	Approved
9243	D-2-Crude Coal Tar QTY 50MT	Approved
9244	D-3-Crude Coal Tar QTY 50MT	Approved
9245	D-4-Crude Coal Tar QTY 50MT	Approved
9246	D-5-Crude Coal Tar QTY 50MT	Approved
9247	D-6-Crude Coal Tar QTY 50MT	Approved
9248	D-7-Crude Coal Tar QTY 50MT	Approved
9249	D-8-Crude Coal Tar QTY 50MT	Approved
9250	D-9-Crude Coal Tar QTY 50MT	Approved
9251	D-10-Crude Coal Tar QTY 50MT	Approved
9252	E-1-NG Benzene QTY 10MT	Approved
9253	E-2-NG Benzene QTY 10MT	Approved

SAIL DSP FA-0021000042 DATED 17.08.10.

Auction Id	Auction Description	Status
9268	B-2-Defective-Misrolled Bloom from Stack H-1 QTY 200MT	Approved
9269	B-3-Assorted Billet CCP(100X100)mm upto 8.5M from Intermediate storage area no-1(near mould bay of old SMS) QTY 200MT	Approved
9270	B-4-Assorted Billet CCP(125X125)mm upto 8.5M from Intermediate storage area no-1(near mould bay of old SMS) QTY 300MT	Approved
9271	B-5-Assorted CC Bloom upto 9.0 M from Intermediate storage area no-1(near mould bay of old SMS) QTY 200MT	Approved
9274	C-3-MM Mixed TMT Bar Backends -11.9M from STACK 16-17 QTY 260MT	Approved